

HP FOREST DEPARTMENT GOVT. OF HIMACHAL PRADESH
H.P. INTEGRATED DEVELOPMENT PROJECT, (IDP) FOR SOURCE SUSTAINABILITY AND CLIMATE RESILIENT RAIN-FED
AGRICULTURE (CHAMBA) 176302
REQUEST FOR QUOTATION (RFQ) FOR PREPARATION OF LIST OF INDICATIVE PRICES(LIP) UNDER MATCHING GRANT
TO BENEFICIARIES OF CHAMBA DISTRICT

Government of India has received a credit from the International Bank for Reconstruction & Development (IBRD) towards the cost of the Integrated Development Project for Source Sustainability and Climate Resilient Rain fed Agriculture and intends to apply part of the proceeds of this credit to eligible Project beneficiaries as Matching Grant for a well defined and specific purpose that is aligned with the project objectives for which this invitation to prepare a list of indicative prices (LIP) from reputed suppliers/dealers is invited in a competitive and transparent manners.

District Project Officer Integrated Dev. Project Chamba invites quotations from the dealers/suppliers holding required valid Registration/PAN/TAN/GST number for preparation of standardized price list to be used as an indicative price list to grant subsidy to project beneficiaries under matching grant for eligible items as per Matching Grant Manual of Integrated Development Project. The Indicative Price List comprising list of qualified/reputed suppliers and rates offered by them for eligible items will be circulated for consultation and to verify market rates for Group / Individual beneficiaries, Gram Panchayat / Panchayat Purchasing Committee (PPC) for procurement under Matching Grant of HPIDP. This rate bank or enlistment as qualified suppliers in the jurisdiction of DPO Chamba for a period 2022-23 for following goods/ items **F.O.R. destination**, on E-5 Proforma, enclosed herewith, as per detail tabulated in E-5:-

The quotation on standard E-5 proforma should reach in the office of the undersigned on or before **31st October, 2022 by 12.00 noon** with detail specification & pamphlet / Brouchers / Sample if any, for finalization of item, the quotations shall be opened on the same day at **12.30PM**, in presence of the interested bidders or their authorized representative *who wish to be present*.

The interested Firm/Supplier/dealer can obtain quotation documents from this office free of cost up to 31.10.2022 11.00 A.M. The tender documents can also be downloaded from the project website www.hpmdp.org.

For more details, please contact the office of the undersigned on any working day between 10.00 AM to 5.00 PM up to **29th October ,2022** or visit official Website of the Project: www.hpmdp.org

The bids / tenders must have following documents enclosed for evaluation as eligibility criteria:-

1. Qualification of the bidder / Eligibility Criteria:

The bidder shall provide following qualification information/documents at the time of submission of quotation form on standard E-5, which shall include :-

- 1.1 Self attested copy(les) of registration/authorization certificate(s) issued in favour of the firms/bidders notifying/declaring the firm/bidder as its authorizing dealers/suppliers of the Goods/Material by the competent authority in respect of above items.
- 1.2 Self attested Photo copy of his/her PAN / TIN / GST
- 1.3 Declaration

2. Bid Price:

- 2.1 The Prices shall be quoted in Indian Rupees only for each Item separately and strike off items for which no price is quoted
- 2.2 Rate of goods should be F.O.R. destination various GPs under DPO IDP Chamba.
- 2.3 The rates quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.
- 2.4 The correction(s) made in E-5, if any, shall be made by crossing out, duly attesting the cutting(s) with date and re-write the corrected entries.
- 2.5 All duties, taxes and other levies payable on the raw materials and components shall be included in the total price.
- 2.6 Rate quoted should be inclusive of all taxes and liabilities on the part of suppliers / dealers.

3. Validity of Quotation:

- 3.1 Quotation/Rates quoted shall remain valid up to 31.03.2023.

4. Submission of Quotations:

- 4.1 Each bidder shall submit only one quotation on standard E-5 proforma, for each item.
- 4.2 The bidder/suppliers / dealers shall furnish complete address and all other information in the relevant space provided in E-5 and shall strike off whichever is not relevant.



- 4.3 Quotations not received on given E-5 proforma , incomplete quotations shall not be considered.
- 4.4 **Those bidder(s) who submit their quotations by post or do not participate in the quotation opening process shall have to submit signed copy of quotation notice, appending his/her signature, in the given box in Quotation notice, in token of accepting / agreeing to the terms and conditions of the quotation notice and shall submit/attach the same with standard E-5 quotation Proforma.** Whereas, other bidders present in the quotation opening process shall sign the office copy of the quotation notice at the time of opening process. **Conditional quotations and quotations received through fax or E-mail shall not be considered.**
- 4.5 The bidder shall seal the quotation in an envelope addressed to the **DPO(IDP) Chamba** and the outside of the envelop will also bear the following identification on the top of the envelop :-
- 4.6 **Quotation for _____ (No. & Name of the item of Goods/material/ equipment)
Do not open before _____ (time and date of quotation opening).**
- 4.7 Quotations must reach in the office of the **DPO (IDP) Chamba at Chowari** not later than the time and date specified in this letter of invitation/quotation notice. If the specified date is declared a holiday, quotations shall be received up to the appointed time on the next working day.
- 4.8 Any quotation received after the deadline for submission of quotations will not be considered.
- 5 **Evaluation of Quotations**
- 5.1 *In case, the day of opening of quotation happens to be a holiday, the whole process will commence on the next working day with same time & schedule for which no separate notice or order shall be issued. And in case, there is overlapping in timing for opening of quotation due to postponement of the date of opening of quotation to such working day, the 'time' for opening of this quotation shall be notified to the bidders through the 'notice' pasted on the notice board of this office, prior to such 'new time' fixed for opening of quotation on the 'next working day'.*
- 5.2 Quotations will be opened in the presence of bidders or their representatives who choose to attend on the date and time and at the place specified in the letter of invitation/quotation notice.
- 5.3 Quotations with cutting/overwriting in quoted rates shall not be accepted. However, such cutting/overwriting, duly attested by the bidder(s) before submission / tendering of quotation into tender box, shall be considered by the purchaser.
- 5.4 *Submission of false information(s) and/or document(s) shall automatically lead to cancellation of contract without prejudice to criminal proceedings against the bidder/contractor.*
- 5.5 The purchaser will evaluate and compare the quotations determined to be substantially responsive i.e. which (a)-are duly signed; (b)-conform to other terms and conditions of the Quotation.
- 5.6 The Quotations would be evaluated for each item **separately**. However, single E-5 may be used for different items as a bid / quotation.
- 5.7 The Chairman/committee for tender will evaluate and compare the quotations determined to be substantially responsive keeping in view the criteria as specified in above clauses.
- 5.8 After the evaluation of bids/quotation is over, the List of Indicative Prices shall be notified for consultation in procurement wrt DPO Chamba for the respective goods/ items for a period up to 2022-23 for the procurement of Group / Individual beneficiaries, Gram Panchayat / Panchayat Purchasing Committee (PPC) for procurement under Matching Grant of HPIDP. The enlistment of qualified suppliers in the list **shall not confer any right** on him either to be necessarily issue supply order or award of work, however this is price list to be consulted / to verify the market rate before any procurement is made by Group / Individual beneficiaries, Gram Panchayat / Panchayat Purchasing Committee (PPC).
6. **Notwithstanding anything of the above, the tendering authority reserves the right to accept or reject any bids or any items and to cancel the bidding process and reject all bids at any time without assigning any reasons.**
7. *In case of any dispute, the Chief Project Director, IDP Solan HP will be the final authority to decide the matter and the decision will be binding on both the parties.*
8. All legal disputes if any, will be settled within the jurisdiction of Court(s) at **Dalhousie Court.**


It is certified that I/we agree to the terms and conditions of the quotation and I/we fully understand that any violation of the terms and conditions by me/us shall render me/us liable for suitable action, against me/us as deemed fit by the purchaser.

Name(s):-

Signature(s)

You are requested to provide your offer latest by **12:00 noon on 31st October, 2022**.

We look forward to receiving your quotations and thank you for your interest in this project and for further details.



District Project Officer,
Integrated Development Project.
Chamba at Chowari.
Email ID: dpoidpchamba@gmail.com

Endst.No. DPO/ 2854 - 2862

Dated, Chamba the/ 10-10-2022

Copy is forwarded to:-

1. Pr. CCF-cum-Chief Project Director(IDP),Solani,HP for favour of information and n/action please.
2. Chairman/Members Quotation Opening Committee for favour of information and n/a.
3. APO Chamba & Chowari of this office for favour of information and wide publicity. They are directed to paste the above notice in the prominent places like DC, SDM, BDO offices and Gram Panchayats.
4. Acctt. Branch for information.
6. Beopar Mandal, Jassure, Nurpur & Chamba through APOs.
5. Notice Board.


District Project Officer,
Integrated Development Project.
Chamba at Chowari.

Format of Quotation - E5

Sr No.	Name of Goods / Items	Specification	Unit	Rate per unit including all taxes
1	Drip irrigation system	Type: Drip irrigation system with all fittings & accessories Area (Tentative): 1 Bigha (800 Sq Mtr.) Spacing: 2.5 mx 0.6 m (Lateral x Dripper) Type: Drip irrigation system with all fittings & accessories	No.	
2	Drip irrigation system	Drip irrigation system with all fittings & accessories for close spaced crops Area (Tentative): 1 Bigha (800 Sqm) Spacing: 1.2 m x 0.6 m (Lateral x Dripper)		
3	Sprinkler irrigation system	Type: Sprinkler set for portable sprinkler irrigation system Manual/automatic Area (Tentative): Bigha (800 Sqm)		
4	Power Tiller	Type: Below 8 HP with cage wheel, standard tools and accessories		
5	Power Weeder	Type: Self Propelled Engine operated Power Weeder. Power Source: Below 2 HP. Fuel: Petrol/Diesel		
6	Self Propelled Machinery Crop Reaper cum binder	Type: A reaper binder attached with 7 hp diesel engine suitable for harvesting wheat and rice. Working capacity: 6 katha/hour and cutting width.		
7	Tractor Drawn Mould Board/Tractor operated rotary plough	Type: Single bottom fixed Power Source: 35Hp minimum Weight: 150 Kg		
8	Cultivator	Type: Tractor drawn spring loaded cultivator, having iron frame and shovels. Standard 3-point linkage system. No. Of tynes: 6 Working width: 72 inches (approximate) Power Source: Tractor (25-35 HP)		
9	Tractor Drawn Disc Harrow	Type: Disc harrow offset type. Disc blade: 7/ gang, each having 2 Nos of standard bearing hubs. Blade material: high carbon steel Hitching system: 3 point. Power Source:40-55 HP		
10	Tractor Drawn Leveller	Type: Land Leveller / Leveller Blade having 3 point hydraulic linkage Power Source: Tractor (25-45 PTO HP)		
11	Tractor Drawn Furrow Opener/ Ridger / bund former	Type: Furrow Opener / Ridger having 3 furrow Material: Made of 10 gauge sheet Power Source: 35hp minimum Weight: 175 Kg		
12	Reversible Mechanical Plough	Type of hitch attachment/Linkage: 3-point linkage 3-point linkage T Tractor power: required 35 hp to 40 hp Type MB Plough: Reversible type Mould Board used: Slat Mould Board Number of MB plough attached to Beam:2 Working Depth control mechanism: Hydraulic Beam rotation control mechanism: Mechanical Working depth in inch:10		
13	Strip Till Drill	Seed metering mechanism: External fluted seed rollers. Fertilizer metering mechanism: Gravity type with adjustable orifices & agitators. Power transmission: Chain and Sprocket drive. Furrow Opener: Invertors/reversible Number of flanges on the rotary: 9 Number of blades on each flanges:6 or more (adjustable) Opening width of blade (mm): 75 Number of furrow opener: 11 (Adjustable) Seed and fertilizer box separate: Partition Source of power (hp/kW):35 HP or above tractor mounted		

Handwritten initials and a checkmark.

14	Seed cum Fertilizer Drill	Type: 5-6 tynes Rigid Power Source: 22 HP-35 HP minimum Weight: 90-140 Kg		
15	Turbo/Happy Seeder	Power source: 44-55 HP tractor with double clutch, Hitch Type: 3 point linkage (two lower & one upper) Row to row distance (minimum): 22.5 (20 to 22 cm) Number of row: 09-11 row (Adjustable) Type of furrow openers: Inverted T- type furrow opener. Rotor RPM: 1360 rpm at 540 rpm of tractor PTO Types of flail blades: Reversible straight gamma type. Minimum diameter of ground wheel: 550 mm or above Seed hopper for seeds: 190 to 200 cm long and 23-25 cm deep (approx.)		
16	Solar fencing	Maximum distance between 2 support posts 10 Mts. Maximum Distance between 2 intermediate posts-5 Mts. Maximum Distance between 2 Angle Iron Posts between two intermediated Posts-5 Mts. No. of strands -3 & 5 wires in vertical Height of fence above the ground-1.85m Total Pole Height (Above+ Below Ground level):-2.45m. Spacing between two rows (Minimum 0.15m to maximum 0.30 m depend upon the type of animals in the areas). Provision for gates to be decided on site after visit of field Energizer capacity - 1 Energizer be installed with built in alarm system at every 2.5Km. System should ensure shock ability at the beginning and end of the fence. The ground to earth voltage must be not more than 200 volts. The supplier should provide operation and maintenance manual which should contain details about the solar power fencing: Clear instructions about the maintenance and trouble shooting, DO's and DONTs, relevant details and drawings for regular maintenance. The relevant test reports of the items, if available may also be enclosed. In case of composite fencing the height of G.L. Wire Mesh and angle iron should be 1.20m as per demand of farmer		
17	Mini Rice Mill	Type: Mini rice mill With Pre-Cleaner & Elevator, Power: 5-10 Hp Quantity: 2.0-5.0 q of paddy/hour		
18	Dal Processor with De husker, Blower, Pre Grader and Broken Seed Separator	Capacity in single operation (Kg/hr): 80 or more. Power Source: 2hp, (IHP+ 1 HP motors) Capacity: 125 kg/hour		
19	Oil Mill with filter press (for all types of horticulture/ food grain/oilseed crops)	Type: Mini oil Expeller for oilseed crop with filter press and oil pump including installation and commissioning on turnkey basis. Capacity (kg/hr): 30-50 Size of filter press: 12" x 12" x 12" plates Power requirement (kw): 5-7.5 Fitted with electric motor including starter, panel board, foundation bolts etc.		
20	Vegetable Extractor	Material: Stainless steel Power: 2 HP and 1400 RPM Components: Water pump, starter, sieves for different seeds, seed collection tub Suitable for: Wet extraction		
21	Pomegranate Aril Extractor	Type: Pomegranate arils are passed through fine pulping screen 0.8 mm perforation Pulp/Pure juice discharge through discharge chute outlet. Electrical Power: 2 HP		

22	Vacuum dehydration unit	<p>Suction Pump: Motorized Gear Type Capacity: 10 liter/minute suitable for the system Degassing Chamber Capacity: 80 Liter, MS Thickness: 3 mm, Suitable for work under vacuum conditions, side glass to be provided. Vacuum Pump: 100 LPM Suitable Heating arrangement 6 KW to heat oil under vacuum condition. Temperature controller to ensure controlled heating as per set temperature. Delivery Pump- Electric motor (0.5 H.P.3 phase) operated Gear pump, Capacity: 12 LPM, control panel required for operating the Water Dehydration unit.</p>		
23	Packing Machines	<p>Automation Grade: Automatic Filing Type: Cup Filler Power: 3 kW Sealing Type: Center Seal Usage Machine Capacity: 30 Pouches/min Pouch Capacity: 10-50 grams Frequency: 50-60 Hz Voltage: 220 V Power Source: Electric</p>		
24	Industrial Steam Boiler	<p>Material: Stainless Steel Capacity: 800kg/hr Working pressure: 10 kg/cm² Machine Type: Semi-Automatic Phase: 3 Phase Voltage: 220-318 V Usage/Application: Milk Industry, Food Processing Industry Heating Power: 12-14 kW Frequency: 50-60 Hz</p>		
25	All types of Washing	<p>Type: Continuous type Capacity: 500 Kg/hr Power: 1800 watt Technology: Bubble Washing Suitable for: Any types of fruits and vegetables Automation Grade: Semi Automatic Voltage: 220-240V/50HZ Frame: Stainless steel</p>		
26	Spices Grinder	<p>Power Consumption: 2h.P-50 H.P Material: Mild Steel & Stainless Steel Capacity: 20kg-400kg Per Hour Type: Fully Automatic Power: AC Voltage: 220 Volt/440 Volt Weight: 100kg-4ton Driven Type: Motor & Pulley Motor Type: Single Phase Or Three Phase</p>		
27	Cleaner-cum-Grader	<p>Capacity: 1-3 TPH Type: Semi-Automatic Power Source: Electric Voltage: 220-240V</p>		
28	Gravity separator	<p>Operation Mode: Automatic Electricity Connection: Three Phase Motor Power: 8.5 HP Deck: 10 x 4 x 6 feet Capacity: 2 ton/hour Number of Fans: Five Fan with AC Drive</p>		
29	Gradient separator	<p>Capacity: 1 TPH Number Of Drum: single separator Power Source: Electric Surface Treatment: Paint Coated</p>		

KH ↓

30	All types of Power driven Dehusker	Capacity: 70kg/hr Electricity: 1kwh Single phase Power: 2 HP		
31	Rotavator	Type: Tractor drawn, multispeed and side transmission Gear box. Number of blades: 16-36 Working width: 3-4 ft Power Source: Tractor (15-30 HP)		
32	Potato Digger	Type: Tractor PTO operated Potato Digger elevator. Power Source: Tractor (35-45 PTO HP)		
33	Tractor Drawn Reaper	Type: Tractor front mounted or rear (offset type) mounted vertical reaper for harvesting and windrowing of paddy. Power Source: Tractor (35-45 PTO HP)		
34	Zero Till Seed Cum Fertilizer Drill	Type: Tractor drawn. Power Source: Tractor (35-45 PTO HP). No. Of rows: 9/11/13		
35	Pneumatic Planter	Type: Tractor mounted Pneumatic multi crop planter to plant seeds of maize, mustard, ground-nut etc. Power Source: Tractor (25-45 PTO HP). No. of rows: 4/5/6		
36	Plastic Mulch Laying Machine	Type: Self propelled		
37	Mulching Sheet	Type: UV stabilized polyethylene films for mulching Thickness: 100 micron Colour: Black and white Breadth: 120 cm		
38	Tractor operated Plastic Mulch Laying Machine	Type: Tractor operated Plastic, Mulch Laying Machine, Power source: 35 HP minimum Weight: 310 Kg		
39	Thresher	Type: Tractor PTO operated multi crop thresher for pulses, wheat, and mustard etc. Mounted on chassis with pneumatic wheels. Grain Loss: 0-5% Power Source: Tractor (25-45 PTO HP).		
40	Knapsack Spray Pumps (Manually)	Type: Manual Hand compression Knapsack Spray Tank capacity (ltr): 13-16 Pressure chamber made of brass Spray Lance made of brass or stainless steel		
41	Knapsack Spray Pumps (Power-operated)	Type: Petrol engine operated power knapsack sprayer Tank capacity (ltr): 13-16 Pressure chamber made of brass Spray Lance made of brass or stainless steel.		
42	Knapsack Spray Pumps (Battery-operated)	Type: Battery operated power knapsack sprayer Tank capacity (ltr): 13-16 Pressure chamber made of brass Spray Lance made of brass or stainless steel.		
43	Seed treating drum	Type: Manually operated Size: 600 x 350m. Shape: Cylindrical Body Material: Mild Steel Product Weight: 25 kg		
44	Poly Tunnels	Size: 3.6 M Sheet: 150 Micron (mu)/600 Gauge		
45	Vegetable Crates	Weight: 1.5 kg (min.) Dimensions: 542 L x 360W x 390H (OD) (+/- 0.25 to 0.5%)		
46	Kilta Baskets	Type: Made of virgin polymer. Height: Outer dimension 660mm-670mm, Inner dimension 650mm-660mm (minimum). Diameter: Top outer 530mm-540mm, top inner 500mm-510mm. Diameter. Bottom (minimum) outer 290mm-300mm, bottom inner 280mm-300 mm (minimum). Safe for carrying fruit/vegetables.		

RH ↓

47	Seedling Trays (50/75/90 Cavities)	Type: Seedling tray with 50/75/90 Cavities, plastic tray easy Suitable for growing vegetable seedlings.		
48	Winnowing Fan	Type: Power operated Winnowing fan with aluminium blade, pulley, switch, wire, plug pin, protective grill fitted Power Source: 0.5 HP electric motor		
49	Maize Sheller	Type: Power operated maize sheller fitted with single phase electric motor. Power Source: 1.0-2.2 Kw Shelling efficiency (%): 95 or more		
50	Solar Pump	Pressure: High Pressure Installation Type: Freestanding Motor Type: AC Power: 1 HP Temperature: 50 Degree		
51	Drum Seeder	Power Source: Hand Operated Row to Row Spacing: 200 mm Number of Rows: 4 Rows Diameter of the Seed Metering Hole: 9 mm		
52	Brush Cutter	Type: Self propelled two row power weeder Engine: Petrol Power Source: 1 to 2 HP		
53	Brush Cutter	Type: Brush cutters/ slasher four stroke petrol engine Power Source: 1 to 2.0 HP		
54	All types of Solar Driers (for all type of horticulture /food grain /oil seeds crops) with floor area of about 400 to 1000 sq. feet.	Solar batch dryer suitable for drying type of horticulture/ food grain/oil seeds crops. Drying type: Direct heating capacity per batch with 5 separate cabinets Max temperature 65 degree and min 5 degree Celsius. Inner wall casing is made of SS or aluminium sheet with wooden frame. Tray with aluminium wire.		
55	Pheromone traps	Insect Type: Fruit Fly Trap Material: Plastic Pest Control Type: Pheromone		
56	Sticky traps	Insect Type: Houseflies, Moths Material: Plastic Pest Control Type: Pheromone Dimensions: 6 x 8 inch Colour: Yellow		
57	Solar light traps	Insect Type: Moth Material: Plastic Pest Control Type: Light Colour: Yellow		
58	HDPE Vermibeds	Material: HDPE Dimensions: 12 ft x4 ft x 2ft		
59	Tarpaulin	Material: HDPE Thickness: 200 GSM Dimensions: 15 ft X 18 ft		
60	Manually Operated Tool Kit	Hand Rake Shovel Spade Sickle Pickaxe Weed slasher Khurpi Hoe etc. *Items in kit can vary depending upon the farmer requirement.		

All the equipment should be certified by registered government agency and should suffice the above listed specification/quality parameters (non significant deviations may be accepted, if any).

Handwritten signature or initials in blue ink.

Gross Total Cost : Rs.

The bidder shall have to fill up the name of the firm / manufacturer of the above listed goods/material.

I/We hereby certify:-

- 1 That I/we agree to supply the above goods/material/ equipment(s) of desired specifications for a total contract price of Rs. _____ (amount in figures) (Rs. _____ amount in words) within the stipulated period as specified in the terms & conditions of the quotations.
- 2 I/We also confirm that the normal commercial warrantee/guarantee of _____ Months shall apply to the offered Goods /equipment.
- 3 That the rate(s) quoted by us shall remain valid up to 31.03.2023.
- 4 That we have taken necessary steps to ensure that person acting for us or on our behalf will not engage in bribery or other illegal acts/means.
- 5 That I / We agree to all the terms and conditions of notice for the procurement of the above material*/works*/service*.
- 6 That I/We hereby authorize the authorities of the IDP, to make payment to me/us, in lieu of the procurement made by the Project, through e-banking in my/our bank account, with following details, as:-

Details of the Bank Account: i) Name of the Account holder- _____

ii) A/C No. _____ iii) Name of the Bank _____

iv) Name of the Branch _____ vi) IFSC code _____

COMPLETE ADDRESS OF THE SHOP/ OFFICE /RESIDENCE OF THE BIDDER(S)

<u>Correspondence Address:</u>	<u>Permanent Address:</u>
Name of the bidder :-	Name of the bidder :-
Village/Mohalla/Colony.....	Village/Mohalla/Colony.....
Post Office Tehsil	Post Office Tehsil
District..... State PIN.....	District..... State
Email ID : Mobile :	
(ii) Land line with STD Code: Fax No:	

Date:

Signature of Bidder/Supplier

*PAN: _____

*Regd. No. of the firm _____

UNDERTAKING / DECLARATION

I/We have carefully studied the RFQ document, terms and conditions stipulated in the document before quoting the rates in the E-5 format. I/We agree to abide by all the Terms and conditions of the RFQ mentioned above. I/We have acquainted myself / our self with the tasks required to be carried out, before making this offer. I/ We do hereby undertake that the information and documents furnished in this quotation / bid are true and genuine to the best of my knowledge. I/We hereby sign this undertaking in token of our acceptance of above mentioned Terms and conditions.

(Signature of the Bidder)

Capacity in which signing the tender document i.e. Sole Proprietor/ Partner/ Director etc. (Please specify).

Name of the bidder

Registration

Date :

Place :

A handwritten signature in blue ink, consisting of stylized initials 'KJ' followed by a checkmark-like symbol, written over a horizontal line.