



H.P. Forest Department
INTEGRATED DEVELOPMENT PROJECT (IDP)

For
Source Sustainability And Climate Resilient Rain-fed Agriculture
District Project Officer, IDP Kangra at Dharamshala
Contact No 01892-223098 email-dpoidpdshala@gmail.com



Dated 31-07-23


No: 120

Himachal Pradesh Integrated Development Project (HPIDP) has received a Loan from the World Bank and is inviting a request from potential suppliers for submission of price list from supply of various item under Matching Grant Scheme, as listed below. The items shall conform to the specifications listed in the advertisement and suppliers shall be expected to hold their prices valid until 60 days from the deadline indicated in this notice. Interested suppliers may also visit project website at www.hpiddp.org and /or can get the details from DPO (IDP) Kangra at Dharamshala office and should submit the item wise price list to DPO Kangra at Dharamshala by **14 August ,2023(Date)** The Supplier must have a GST number and shall submit their price list in the format attached.

Sr No.	Name of Goods / Items	Specification
Group Item		
1	HDPE Pipe	IS Standard IS:14151:2008 (Part-II) Nominal Outside Diameter (D) 19 mm , 13 mm , 25 mm, 38 mm, 50 mm
Individual Item		
2.	Electric / Manual Chaff Cutter	Motor Operated Chaff Cutter <ul style="list-style-type: none">• 1-2 HP electric motor (ISI Mark) along with pulley and wheel be wt(approx)-80 kg.• Mild Steel Handle with Wooden Grip, Diameter 15 mm, total leng 500 mm, length of wooden grip 430-450 mm.• Cutting Blades 2 to 3 Nos made from carbon Steel, which a adjustable.• Cutting Assembly-2 Nos, cutting mouth made from cast iron.• Fly wheel of V-Belt type 750-800 diameter, width 25 mm with circular hole of 10 mm at the centre to connect it to main shaft.• Worm gears should be 2 in number.• Feed rollers-2 in number with length 207 mm and diameter 85 mm Feeding roller made from cast iron.• Feeding trough should be attached on rear of shear plate wi detachable provision.• Chaff Cutting Capacity :- Electric -200 to 250 Kg per hour• All the roating parts should be covered by safety guards.

3	Manual Chaff Cutter	<p>Manually Operated Chaff Cutter</p> <ul style="list-style-type: none"> • Mild Steel Handle with Wooden Grip, Diameter 15 mm, total length 500 mm, length of wooden grip 430-450 mm. • Fly wheel of 840-900 mm diameter, width 75 mm with a circular hole of 10 mm at the centre to connect it to main shaft. • Worm gears should be 2 in number , one located at upper side and one at lower side of worm. • Feed rollers should be 2 in number with length 207 mm and diameter 85 mm. • Feeding trough should be attached on rear of shear plate with detachable provision. Half of the trough shall be covered for safety. • Stand should consist of four legs, leg support may be detachable. • Chaff Cutting Capacity :- Electric -100 to 150 Kg per hour
---	---------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Note :- The supplier suppliers should send the list of indicative price on their letter head pad)
 *Where ISI certification marked goods are available in market, procurement should generally be limited to goods with those or equivalent marking only.
 Normal commercial warranty/guarantee shall be application to the supplied goods.



**District Project Officer,
 Integrated Development Project,
 Kangra at Dharamshala (HP).
 Dated, Dharamshala**

Endst.No.
 the/ 1923-32

dated / 31-07-23

Copy is forwarded to:-

1. Pr. CCF-cum-Chief Project Director(IDP),Solan,HP for favour of information and n/action please.
2. Chairman/Members Quotation Opening Committee for favour of information and n/a.
3. All APOs for favour of information and wide publicity. They are directed to paste the above notice in the prominent places like DC, SDM, BDO offices and Gram Panchayats.
4. Acctt. Branch for information.
5. Notice Board.


**District Project Officer,
 Integrated Development Project,
 Kangra at Dharamshala (HP).**

Format of Quotation - E5

Sr No.	Name of Goods / Items	Specification	Unit	Rate per unit including all taxes
1	HDPE Pipe	IS Standard IS:14151:2008 (Part-II)		
		Nominal Outside Diameter (D) 19 mm , 13 mm , 25 mm, 38 mm, 50 mm		
	Electric Chaff Cutter	<p>Motor Operated Chaff Cutter</p> <ul style="list-style-type: none"> • 1-2 HP electric motor (ISI Mark) along with pulley and wheel belt, wt(approx)-80 kg. • Mild Steel Handle with Wooden Grip, Diameter 15 mm, total length 500 mm, length of wooden grip 430-450 mm. • Cutting Blades 2 to 3 Nos made from carbon Steel, which are adjustable. • Cutting Assembly-2 Nos, cutting mouth made from cast iron. • Fly wheel of V-Belt type 750-800 diameter, width 25 mm with a circular hole of 10 mm at the centre to connect it to main shaft. • Worm gears should be 2 in number. • Feed rollers-2 in number with length 207 mm and diameter 85 mm . Feeding roller made from cast iron. • Feeding trough should be attached on rear of shear plate with detachable provision. • Chaff Cutting Capacity :- Electric -200 to 250 Kg per hour • All the roating parts should be covered by safety guards. 		
	Manual Chaff Cutter	<p>Manually Operated Chaff Cutter</p> <ul style="list-style-type: none"> • Mild Steel Handle with Wooden Grip, Diameter 15 mm, total length 500 mm, length of wooden grip 430-450 mm. • Fly wheel of 840-900 mm diameter, width 75 mm with a circular hole of 10 mm at the centre to connect it to main shaft. • Worm gears should be 2 in number , one located at upper side and one at lower side of worm. • Feed rollers should be 2 in number with length 207 mm and diameter 85 mm. • Feeding trough should be attached on rear of shear plate with detachable provision. Half of the trough shall be covered for safety. • Stand should consist of four legs, leg support may be detachable. • Chaff Cutting Capacity :- Electric -100 to 150 Kg per hour 		

All the equipment should be certified by registered government agency and should suffice the above listed specification/quality parameters (non significant deviations may be accepted, if any).

The bidder shall have to fill up the name of the firm / manufacturer of the above listed goods/material.

I/We hereby certify:-

- 1 That I/we agree to supply the above goods/material/ equipment(s) of desired specifications for a total contract price of Rs. _____ (amount in figures) (Rs. _____ amount in words) within the stipulated period as specified in the terms & conditions of the quotations.
- 2 I/We also confirm that the normal commercial warrantee/guarantee of _____ Months shall apply to the offered Goods /equipment.
- 3 That the rate(s) quoted by us shall remain valid up to 31.03.2024.
- 4 That we have taken necessary steps to ensure that person acting for us or on our behalf will not engage in bribery or other illegal acts/means.

Signature of Bidder/Supplier

*PAN: _____

*Regd. No. of the firm _____