

INTEGRATED DEVELOPMENT PROJECT (IDP)

For

Source Sustainability And Climate Resilient Rain-fed Agriculture
Una, Distt. Una, HP

Phone No.Fax: 01975-292077 Email-dpoidpuna@gmail.com

No. IDP/UNA...6.....

Dated...01./15./.2025

Subject:

Call for proposals/applications from Group Beneficiary (WUG/PG) and

Individual Beneficiaries

Type of Grant:

Grants for Group Beneficiary (WUG/PG) and Individual Beneficiaries

Himachal Pradesh Integrated Development Project (HPIDP) has received a Grant from the World Bank and is inviting a request from eligible Group Beneficiary (WUG/PG) and individual beneficiaries from various Gram Panchyats under HPIDP (hereinafter called "Applicant") for submission of application for only those items as per list attached under Matching Grant Scheme. The eligibility criteria, application Form etc are attached as per annexure. Applicant should send their applications to respective Assistant Project Officers (APO), HPIDP, viz. Una and Thanakalan or to DPO IDP Una as per schedule below:

Sr.No.	Particulars	Date
1	Submission start date of Application	01st May, 2025
2	Last Date for submission of application	31st May, 2025
3	Scrutiny of eligibility by concerned APO and forwarding application to DPO, Una	15 th June, 2025
4	Technical and Financial assessment, Prioritization and budgeting, Announcement of Awardees by DPO	25 th June, 2025
5	Execution of Grant agreement and Grant distribution	10 th July, 2025
6	Procurement of items, submission of bills	20 th July, 2025
7	Verification of asset, Receipt of Utilization Certificate (UC), Preparation of Grant Closure Report (GCR)	31st July, 2025

(Sandeep Kohli, HPFS), District Project Officer, Integrated Development Project, Una,

Distt.Una (H.P.) 174303 Phone: 01975-292077

dpoidpuna@gmail.com, www.hpidp.org



INTEGRATED DEVELOPMENT PROJECT (IDP)

For

Source Sustainability And Climate Resilient Rain-fed Agriculture Una, Distt. Una, HP

Phone No.Fax: 01975-292077 Email-dpoidpuna@gmail.com

No. IDP/UNA.....

Dated.....

Endst. No. . 6.2 - 68

Copy is forwarded to APCCF-cum-Chief Project Director, IDP, Solan for information please 1. Copy forwarded to the following for information and wide publicity:

Project Website i.e.hpidp.org 1.

Notice Boards O/o DPO, IDP, Una, APO Una and APO Thanaklaan, GPs, 2.

APO Una and Thanakalan 3.

All SEOs, FEOs, AEOs, 4.

BDO Offices, GP Pardhan 5. They are requested to publicity the above said Cycle of Matching Grant.

District Project Officer,

Integrated Development Project, Una,

Distt.Una (H.P.) 174303



INTEGRATED DEVELOPMENT PROJECT (IDP)



For

Source Sustainability And Climate Resilient Rain-fed Agriculture Una, Distt. Una, HP

Phone No.Fax: 01975-292077 Email-dpoidpuna@gmail.com

No. IDP/UNA.....

Dated.....

ELIGIBILITY CRITERIA FOR PARTICIPATING INDIVIDUALS

To be eligible for applying for a MG under the window for individuals, a person should meet the following minimum criteria*:

- 1. Ordinarily a resident of a GP included under the Project (male or female)
- 2. A farmer (own land, sharecropper, leased land etc.)
- 3. At least 18 years of age
- 4. Applicants should be able to produce evidence of land ownership, viz., Tatima, Jamabandi, Nakal, etc./Copy of lease agreement/ ownership of animals (Registration certificate)/any other certificate as per Government guidelines; such land should also be in possession of the applicant/s, and free of any ownership conflict/s
- 5. Aadhaar-linked bank account in a scheduled bank, held by the beneficiary.
- 6. Clear articulation of plan for use of grant money.
- 7. New applicants with strong proposals but who have not received any support will be preferred
- It may be noted that application does not guarantee receipt of grant, there will be a process of
 evaluation and prioritization of applications before grantees are announced. Scale of Grant would be up
 to a maximum of INR . 30,000 /- per individuals.

CRITERIA FOR PRIORITIZATION OF APPLICATIONS FROM INDIVIDUALS

- 1. Classified as vulnerable (per GPRMP)
- 2. Widow women
- 3. Other Women applicants and beneficiaries
- 4. SC and ST applicants and beneficiaries
- 5. Economically Weaker Section (EWS)
- 6. Person having fallow arable land (Minimal Returns)
- 7. Households mentioned in Socio Economic and Caste Census (SECC) Report

CONTACT DETAILS OF OFFICIALS / OFFICERS FOR CLARIFICATION

1. Assistant Project Officer, Una

98172-28208

2. Assistant Project Officer, Thanakalan

98172-28208



INTEGRATED DEVELOPMENT PROJECT (IDP)



For

Source Sustainability And Climate Resilient Rain-fed Agriculture Una, Distt. Una, HP

Phone No.Fax: 01975-292077 Email-dpoidpuna@gmail.com

No. IDP/UNA..... Dated....

ELIGIBILITY CRITERIA FOR PARTICIPATING WUGs and PGs (WUGs/PGs)

To be eligible for consideration for receiving MG, WUG/PG under the window for groups should meet the following minimum criteria*:

- 1. Groups should be either formed or strengthened under the Project. Consideration will also be given to high potential groups not formed under the project, but which are operational in the project area, if the grant objective aligns with the PDO.
- 2. It should be functional, as certified by the local facilitating team (comprising frontline staff
- 3. It should have at least 5 **active** members (not more than one member from any household)
- 4. Well function WUGs/ PGs will be considered for grants even if they have received similar grants from other sources previously.
- 5. It should have an Aadhaar- linked bank account in a public sector bank, in the name of the WUG/PG with two/ three signatories. in case appropriate banking facilities are not available in the Panchayat area, the account maybe opened with any other bank operating in nearby area, with prior approval from the concerned DPO.
- 6. Each WUG will deposit in its own account an upfront share of 5% of the total cost of the assets towards O & M. In addition , groups will also contribute to the GP level OMIF account , equivalent to 1 % of the total cost of asset/ work granted .
- 7. Group will submit a Business plan with detailed costing and specification for the use of grant , money.
- 8. New applicants with strong proposals but who have not received any support will be proffered
- It may be noted that application does not guarantee receipt of grant, there will be a process of
 evaluation and prioritization of applications before grantees are announced. Group Grants will range
 from INR 40,000 to INR 1,61,000 /- per group; on average, INR 3 lakhs is allocated per participating
 GP.

CRITERIA FOR PRIORITIZATION OF APPLICATIONS FROMWUG/PGs

- 1. Women/s Groups or groups led by women.
- 2. Predominantly vulnerable HH members (> 70%)
- 3. Groups with member's land in contiguous patch
- 4. More members having contributed upfront
- 5. Clarity of costs, benefits and cost sharing norms among users, and between WUG and IDP
- 6. Applications with plans which are better aligned with the project objectives
- 7. Implementable in a shorter time span (6 months to 1 year receive highest priority)



INTEGRATED DEVELOPMENT PROJECT (IDP)



For

Source Sustainability And Climate Resilient Rain-fed Agriculture Una, Distt. Una, HP

Phone No.Fax: 01975-292077 Email-dpoidpuna@gmail.com

No. IDP/UNA.....

Dated.....

LIST OF ELIGIBLE ITEMS / WORKS, INDICATIVE PRICE LIST (IPL) AND PROJECT SHARE/ CONTRIBUTION

		OODS FOR INDIVIDUAL BENEFICIAL	Maximum	Project	share
Sr.no	Name of Goods/Items	Specification	admissible Rates in Rupees	Vulne rable	Others
	Irrigation Support (Spri	nkle, Drip, Pipes & Pumps etc.)		80%	80%
	Drip irrigation system	Type: Drip irrigation system with all fittings & accessories for close spaced crops Coverage area: 1 bigha Spacing: 2.5 m x 0.6 m (Lateral x Dripper)		80%	80%
2	Drip irrigation system	Type: Drip irrigation system with all fittings & accessories for close spaced crops Coverage area: 1 bigha Spacing 1.2 m x 0.6 m (Lateral x Dripper)		80%	80%
3	Sprinkler irrigation system	Type: Sprinkler set for portable sprinkler irrigation system Coverage area: I bigha		8070	0070
4	HDPE Pipes for irrigation 20 mm	Type: High Density Polyethylene (HDPE) Irrigation Pipes with clump Coverage area: 1 bigha 20 MM 25 MM 38 MM		80%	80%
		50 MM 63 MM 75 MM 90 MM			
5	Hose Pipe	Type: Agriculture use Material: PVC Internal Diameter:50mm Length:30m		50%	40%
6	Solar Pump	Solar Pump Pressure: High Pressure Installation Type: Freestanding Motor Type: AC Power: 1 HP Tamparature: 50 Degree		90%	80%
В.	Agriculture tools & 6	equipment's/ machines (Automatic/Sem	i automatic)		
1	Power Tiller (Below 8 HP/8 BHP and Above	Type: Below 8 HP with cage wheel,		50%	40%



INTEGRATED DEVELOPMENT PROJECT (IDP)



For

Source Sustainability And Climate Resilient Rain-fed Agriculture Una, Distt. Una, HP

2	NA	Type: Self Propelled Engine operated Power Weeder. Power Source: Below 2 HP. Fuel: Petrol/Diesel		50%	40%
3	Reaper cum Binder	Type: A reaper binder attached with 7 hp diesel engines suitable for harvesting wheat and rice. Working capacity: 6 katha / hour and cutting width.		50%	40%
4	Knapsack Spray Pumps (Power-operated)	Type: Petrol engine operated power knapsack sprayer Tank capacity (ltr): 13-16 Pressure chamber made of brass Spray Lance made of crass or stainless steel		50%	40%
5	Knapsack Spray Pumps (Battery-operated)	Type: Battery operated knapsack sprayer Tank capacity (ltr): 13-16 Pressure chamber made of brass Spray Lance made of crass or stainless steel		50%	40%
6	Brush Cutter	Type: Self propolled two row power weeder Engine: Petrol Power Source: 1 to 2 HP		50%	40%
C.	Minor Agriculture tool	s (Mechanical)			
1	Knapsack Spray Pumps (Manual)	Type: Manual Hand compression Knapsack Spray Tank capacity (ltr): 13-16 Pressure chamber made of brass Spray Lance made of crass or stainless steel		50%	40%
2	Manually Operated Tool Kit*	Items included Hand Rake, Shovel, Spade, Sickle, Pickaxe, Weed slasher, Khurpi, Hoe etc. *Items in kit can vary depending upon the farmer requirement.		50%	40%
3	Seed treating drum	Type: Manually operated Size: 600 x 350m. Shape: Cylindrical Body Material: Mild Steel Product Weight: 25 kg		50%	40%
4	Drum Seeder (4rows below and 4 above)	Power Source: Hand Operated Row to Row Spacing: 200 mm Number of Rows: 4 Rows Diameter of the Seed Metering Hole: 9 mm	in cumpout)	50%	40%
C.	Post Harvest equipmen	nt and Machines (Post harvest/Value Cha	am support)		
1	Vegetable Crates Plastic	Weight: 1.5 kg (min.) Dimensions: 542 L x360W x 390H (OD) (+/- 0.25 to 0.5 %)		50%	40%



INTEGRATED DEVELOPMENT PROJECT (IDP)



For

Source Sustainability And Climate Resilient Rain-fed Agriculture Una, Distt. Una, HP

IDP /UT	VA	Dated		7	100/
2	Kilta Baskets Plastic	Weight: 1.5 kg (min.) Dimensions: 542 L x360W x 390H (OD) (+/- 0.25 to 0.5 %)	•	50%	40%
3	Kilta Baskets bamboo	Weight: 1.5 kg (min.) Dimensions: 542 L x360W x 390H (OD) (+/- 0.25 to 0.5 %)		50%	40%
4	Winnowing Fan	Type: Power operated Winnowing fan with aluminium blade, pulley, switch, wire, plug pin, protective grill fitted Power Source: 0.5 HP electric motor		50%	40%
5	Maize Sheller	Type: Power operated maize sheller fitted with single phase electric motor. Power Source: 1.0-2.2 Kw Shelling efficiency (%): 95 or more		50%	40%
6	All types of Solar Driers (for all type of horticulture / food grain/oil seeds crops) with floor area of about 400 to 1000 sq. feet.	Solar batch dryer suitable for drying type of horticulture / food grain/oil seeds crops. Drying type: Direct heating capacity per batch with 5 separate cabinets Max temperature 65 degree and min 5 degree Celsius. Inner wall casing is made of SS or aluminum sheet with wooden frame. Tray with aluminum wire.		60%	50%
7	Tarpaulin (HDPE, 200 GSM, 15 ft X 18 ft)	Material: HDPE Thickness: 200 GSM Dimensions: 15 ft X 18 ft		50%	40%
8	Manual Chaff Cutter	Product Type: Manual Chaff Cutter Machine Body Material: Cast Iorn Blades: 2 Cutting mterial Green & Dry Fodder Cutting Capacity: Up to 200 Kg/hrs. Weight: 75 kg (Approx)		50%	50%
9	Electric Chaff Cutter (2 HP)	Product Type: Chaff Cutter Machine Body Material: MS Body Power Source: Electric Motor Required Motor: 1 to 2 HP Cutting mterial Green & Dry Fodder, Straw, Corn Stalk, Sugaercane Stalk Cutting Capacity: 300 to 600 kg/hrs.		50%	50%
D.	Other (Items supporting	ng climate smart technology)			100/
1	Seedling Trays(50/75/90 Cavities)	Type: Seedling tray with 50/75/90 Cavities, plastic tray easy to clean. Suitable for growing vegetable seedlings		50%	40%
2	Poly Tunnels (Size: 3.6 M³)			50%	50%



INTEGRATED DEVELOPMENT PROJECT (IDP)



For

Source Sustainability And Climate Resilient Rain-fed Agriculture Una, Distt. Una, HP

	'UNA	Dated	<i>1</i>	
3	Mulching sheets	Type: UV stabilized polyethylene films for mulching sheets Thickness: 100 micron Colour: Black and white Breadth: 120 cm	50%	40%
4	Eco-friendly Light Trap	Insect Type: Moth Pest Control Type: Light Colour: Yellow	50%	40%
5	Pheromone traps	Insect Type: Fruit Fly Trap Material: Plastic Pest Control Type: Pheromone	50%	40%
6	Sticky traps	Insect Type: Houseflies, Moths Material: Plastic Pest Control Type: Pheromone Dimensions: 6 x 8 inch Colour: Yellow	50%	40%
7	Solar light traps	Insect Type: Moth Material: Plastic Pest Control Type: Light Colour: Yellow	50%	40%
8	HDPE Vermibeds (12 ft x4 ft x 2 ft	Material: HDPE Dimensions: 12 ft x4 ft x 2 ft	50%	50%
D.1	Name of Works			
1	Roof rain water harvesting structure – individual	Capacity: 9 m3	50%	50%
2	Vermicomposting Pit (15 ft x9 ft x 1.5 ft)	Double Chamber (15 ft x9 ft x 1.5 ft)	50%	50%
3	Vermicomposting Pit (Single Chamber) (10 ft x4 ftx2 ft)	Single Chamber) (10 ft x4 ftx2 ft)	50%	50%
4	Livestock Manger (1.80 x 1 x 1.20 m ³)	Size (1.80 x 1 x 1.20 m3)	50%	50%



INTEGRATED DEVELOPMENT PROJECT (IDP)



For

Source Sustainability And Climate Resilient Rain-fed Agriculture
Una, Distt. Una, HP

Phone No.Fax: 01975-292077 Email-dpoidpuna@gmail.com

No. IDP/UNA.....

Dated.....

LIST OF ELIGIBLE ITEMS / WORKS, INDICATIVE PRICE LIST (IPL) AND PROJECT SHARE/ CONTRIBUTION

Name of Goods/Items (Specification attached)	Specification			
		Rate in Figure	Project	share
rigation Support (Sprinkle,	Drip, Pipes & Pumps etc.)		Vulnerab	Oth
Drip irrigation system	Type: Drip irrigation system with all fittings & accessories for close spaced crops Coverage area: 1 bigha Spacing: 2.5 m x 0.6 m (Lateral x Dripper)		le 80	80
Drip irrigation system	Type: Drip irrigation system with all fittings & accessories for close spaced crops Coverage area: 1 bigha Spacing 1.2 m x 0.6 m (Lateral x Dripper)		80	80
Sprinkler irrigation system	Type: Sprinkler set for portable sprinkler irrigation system		80	80
HDPE Pipes for irrigation 20 mm	Type: High Density Polyethylene (HDPE) Irrigation Pipes Coverage area: 1 bigha 20 MM 25 MM 38 MM 50 MM 63 MM 75 MM 90 MM		80%	80%
Hose Pipe	Type: Agriculture use Material: PVC Internal Diameter:50mm Length:30m		50%	40%
Solar Pump	Solar Pump Pressure: High Pressure Installation Type: Freestanding Motor Type: AC Power: 1 HP		90%	80%
F	Drip irrigation system Sprinkler irrigation system HDPE Pipes for irrigation 20 mm Hose Pipe	fittings & accessories for close spaced crops Coverage area: 1 bigha Spacing: 2.5 m x 0.6 m (Lateral x Dripper) Drip irrigation system Type: Drip irrigation system with all fittings & accessories for close spaced crops Coverage area: 1 bigha Spacing 1.2 m x 0.6 m (Lateral x Dripper) Sprinkler irrigation system Type: Sprinkler set for portable sprinkler irrigation system Coverage area: 1 bigha Type: High Density Polyethylene (HDPE) Irrigation Pipes Coverage area: 1 bigha Type: High Density Polyethylene (HDPE) Irrigation Pipes Coverage area: 1 bigha 20 mm Type: MM 38 MM 50 MM 63 MM 75 MM 90 MM 110 MM Hose Pipe Type: Agriculture use Material: PVC Internal Diameter:50mm Length:30m Solar Pump Pressure: High Pressure Installation Type: Freestanding Motor Type: AC Power: 1 HP Temperature: 50 Degree	fittings & accessories for close spaced crops Coverage area: I bigha Spacing: 2.5 m x 0.6 m (Lateral x Dripper) Drip irrigation system Type: Drip irrigation system with all littings & accessories for close spaced crops Coverage area: I bigha Spacing 1.2 m x 0.6 m (Lateral x Dripper) Sprinkler irrigation system Type: Sprinkler set for portable sprinkler irrigation system Coverage area: I bigha Type: Sprinkler set for portable sprinkler irrigation system Coverage area: I bigha Type: High Density Polyethylene (HDPE) Irrigation Pipes Coverage area: I bigha 20 MM 25 MM 38 MM 50 MM 63 MM 75 MM 90 MM 110 MM Hose Pipe Type: Agriculture use Material: PVC Internal Diameter:50mm Length:30m Solar Pump Solar Pump Pressure: High Pressure Installation Type: Freestanding Motor Type: AC Power: I HP Temperature: 50 Degree	fittings & accessories for close spaced crops Coverage area: 1 bigha Spacing: 2.5 m x 0.6 m (Lateral x Dripper) Drip irrigation system Type: Drip irrigation system with all fittings & accessories for close spaced crops Coverage area: 1 bigha Spacing 1.2 m x 0.6 m (Lateral x Dripper) Sprinkler irrigation system Type: Sprinkler set for portable sprinkler irrigation system Coverage area: 1 bigha Type: High Density Polyethylene (HDPE) Irrigation Pipes Coverage area: 1 bigha Type: High Density Polyethylene (HDPE) Irrigation Pipes Coverage area: 1 bigha 20 MM 25 MM 38 MM 50 MM 63 MM 75 MM 90 MM 110 MM Hose Pipe Type: Agriculture use Material: PVC Internal Diameter:50mm Length:30m Length:30m Solar Pump Solar Pump Pressure: High Pressure Installation Type: AC Power: 1 HP Temperature: 50 Degree riculture tools & equipment's/ machines



INTEGRATED DEVELOPMENT PROJECT (IDP)



For

Source Sustainability And Climate Resilient Rain-fed Agriculture Una, Distt. Una, HP

$\mathcal{N}o.$	IDP/UNA	Date	d		
1.	Power Tiller (below 8 BHP)	Type: Below 8 HP with cage wheel, standard tools and accessories.		50	40
2.	Power Weeder (Below 2BHP)	Type: Self Propelled Engine operated Power Weeder, Power Source: Below 2 HP. Fuel: Petrol/Diesel		50	40
3.	Reaper-cum-binder	Type: A reaper binder attached with 7 hp diesel engines suitable for harvesting wheat and rice. Working capacity: 6 katha / hour and cutting width.		50	40
4.	Disc/ MB Plough	No. of plough bottoms: 2 - 4 Length (mm):1778-2392, Width (mm): 889-1194, Height(mm): 1092-1092, Weight (kg): 253-386 Capacity (ha/day): 1.5-2.0 Power requirement(hp/kW): 30-40 /22.5-30, tractor		50	40
5.	Cultivator	Shovel type cultivator Number of tynes: 7-11 Cutting width(mm): 1500-2400 Cutting depth (mm): 175-225 Weight(kg): 127-350 Power requirement (hp/kW): 25-60/18.75-45, tractor		50	40
6.	Harrow	Number of Disc -12 Implement power 35 HP Cutting Width (MM) 1100 Total Weight (Kg) 440		50	40
7.	Leveller Blade	Length(mm) 1840, Width (mm) 700, Height (mm) 700, Size of Blade (mm) -Length 1830 - Width 75 -Thickness 8 -Weight (kg) 90 Power requirement (hp/kW): 35/26.25, tracto		50	40
8.	Furrow Opener	Overall dimensions 2020x 2050 x 1100 mm ii. Weight 370 kg iii. No. of furrows 2 iv. Row and hill spacing Adjustable Capacity, ha/day 3.2		50	40



INTEGRATED DEVELOPMENT PROJECT (IDP)



For

Source Sustainability And Climate Resilient Rain-fed Agriculture
Una, Distt. Una, HP

No.	IDP/UNA	Fax: 01975-292077 Email-dpoidpuna@gma. Dateo	4 1		
9.	Reversible Mechanical Plough	Length (mm) Working Width (mm) Weight (kg) Plough bottom Working Depth Under frame Clearance Inter body Clearance Reversing mechanism Speed of operation (km/h) Area covered (ha / h) Field efficiency (%): 320: 609/914: 375/475: two bottom (two on each side)/three bottom (Three on each side): 203 mm - 355 mm: 700 mm: 850mm: Hydraulically/ Mechanically operated: 3 to 4: 0.20 to 0.25: 90 Power requirement (hp): 55 & Above		50	40
10.	Chisel Plough	Number of Disc -5, Disc Dia (mm)- 12 Inch , Depth of Cut- 12 Inch, Overall Length- 70 inch, Overall Width -27 inch, Overall Height- 20 inch, Total Approx Weight (kg) -280 kg, Suitable HP Range - 35 HP		50	40
11.	Strip Till Drill	specificationsLength (mm) 1960-2310Width (mm) 970-1560Height (mm) 1070-1350Seed metering mechanism - Fluted rollerFertilizer metering mechanism - Gravity Fed With an agitatorPower transmission - Chain and sprocketsFurrow opener - Inverted T - type / reversible shovelNumber of flanges on the rotary - 9-11Number of blades on each flange - 6 Type of blade - C TypeOpening width of blade (mm) - 75Number of furrow opener -9-11Size (diameter), mm and number of flutes - 42.7-49.2 and 9-11Seed box capacity (cm3) - 66241-10308Fertilizer box capacity (cm3) - 63310-10141Ground wheel diameter (mm) - 390-450Weight (kg) - 220-330Source of power (hp/kW) - 35-45 /26.25-33.75, Tractor		50	40



INTEGRATED DEVELOPMENT PROJECT (IDP)



For

Source Sustainability And Climate Resilient Rain-fed Agriculture Una, Distt. Una, HP

	One No.Fax: 019/5-2920// Email application Onted		
No. IDP/UNA			
12. Seed Drill	Specifications Length (mm): 1940-2310 Width (mm): 970-1560 Height (mm): 1070-1350 Seed metering mechanism: Fluted		
	roller Fertilizer metering mechanism: Gravity feed with agitator Number of furrow opener: 9-13	50	40
	Furrow opener: Reversible shovel Size of feed shaft (mm): 16-19 Size (diameter) and number of flutes: 42.7-49.2 and 9-11 Seed box capacity (cm3) - 66241- 10308 Fertilizer box capacity (cm3) - 63310- 10141 Weight (kg) - 224-328 Source of power (hp/kW) - : 35/26.25, tractor	30	40
13. Multi Crop Plan	Length (mm): 970 Width (mm): 2350 Height (mm): 1120 Number of rows in planter attachment - 6 (maximum) Seed metering mechanism: Inclined plate with cell Fertilizer metering: Adjustable opening with agitators Furrow opener: Reversible shovel Seed hopper capacity (kg) : 10-20 for different crops Power transmission : Chain and sprockets and bevel gears Source of power (hp/kW) - 35/26.25, tractor	50	40



INTEGRATED DEVELOPMENT PROJECT (IDP)



For

Source Sustainability And Climate Resilient Rain-fed Agriculture
Una, Distt. Una, HP

Wa	IDP/UNA	I Hone No.	Fax: 01975-292077 Email-dpoidpuna@gma			
14.	1	Hanny	Date	d	1	i .
14.	Turbo Seeder	парру	Specifications of turbo happy			
	Turbo Seeder		seeder 1. Horse Power			
			Requirement: 45-55 hp tractor			
			with double clutch 2. Capacity,			
			ha/hr.: 0.25-0.35 ha/hr 3. Weight			
			of machine : 500-550 kg 4.			
			Working width of machine: 2.0-			
			2.5 m 5. Row to row distance :			
			225 mm 6. No. of rows : 9-12 7.			
			Type of Furrow openers:			
			Inverted 'T' type 8. Rotor drum			
			diameter : 750 mm 9. Rotor			
			diameter : 140 mm 10. Window			
			area : 0.200 x 0.450 = 0.09 m 2			
			(C/s area between two furrow			
			openers) 11. Ground clearance of			
			furrow opener with working PTO			
			: 0.30 m 12. Rotor rpm : 1360		50	40
			rpm at 540 rpm of tractor PTO			
			13. Types of flail blades:			
			Reversible straight gamma type			
			14. Flails length from rotor			
			surface : 240 mm 15. Blade			
			length : 165 mm 16. Bottom			
			width of blade : 85 mm 17. Top			
			width of blade : 50 mm 18. Blade			
	* .		Overlap with furrow openers : 60			
			mm 19. Horizontal clearance			
			between the edges of the blades			
			: 75 mm 20. No. of Depth wheels			
			: Two nos. with adjustable depths			
			21. Minimum Diameter of			
			Ground Wheel: 550 mm 22. No.			
			of lugs on periphery of GW: 15			
			(with sharp and long edges)			
15.	Rotavator		Weight (kg): 230-310, Working			
15.	, iotavator		width (mm): 1200-1720,			
			Working depth (mm): 80-100,			
					50	40
			Rotor speed (rpm) : 210-240,		50	40
			Capacity (ha/hr): 0.38-0.5,			
			Power Source(hp/kW) : 30-65			
10	Potato Diggs		/37.5-48.75, tractor			
16.	Potato Digger		Power -35-50 HP, Weight 900			
			KG, Power source Self Propelled		50	40
			Crop Potato, Grain tank capacity			



INTEGRATED DEVELOPMENT PROJECT (IDP)



For

Source Sustainability And Climate Resilient Rain-fed Agriculture
Una, Distt. Una, HP

No.	IDP/UNA	rax: 01975-292077 Email-dpoidpuna@gm; Date	d		
		150 KG Power Harvesting			
17.	Tractor Drawn Reaper	Specifications:			
		Product Type : Tractor Operated Reaper			
		Brand : Made in India			
		Material : Iron			
		Driven by : Tractor Application : Cutting wheat, paddy			
		soyabean etc.		50	40
		Required Power: Tractor of more than		30	10
		25 HP Fitting Type : Hydraulic Jack			
		Fitting Position : Front Rear Fitting in			
		Tractor			
		Cutting Capacity : 10 to 12 acres per day			
18.	Zero Till Seed Cum	Specifications : Model No. : 11 Row			
	Fertilizer Drill	(1+1) Model TypeProduct Type: Seed			
	V OVERILLE OF THE	cum Fertilizer DrillBrand : Made In			
		IndiaDriven by : TractorNo. of Teeth : 11No. of Pipes : 22Row to Row			
		Spacing: 9 InchSowing Depth: 2-6			
		InchHopper Capacity: 60 Kg Require		50	40
		Tractor: 35 HPWeight: 375 Kg (Approx.)			
		(Approx.)			
19.	Ridge Furrow Planter	Specifications :			
		Product Type : Agricultural Ridger			
		Brand : Made in India Furrow : 3-5			
		Frame: 100 x 100 sq. mm		50	40
		Frame Width: 1800-3000 mm Power: 35-60 HP			
		Fower . 35-60 HP			
20.	Pneumatic Planter	Specifications: Model: NPP4			
		NPP6 Rows 4 6 Tractor Required			
		60-70 HP 90-100 HP Seed			
		Metering Pneumatic Suctioned			
		Vertical Rotating Seed Picking			
		Disc. Fertilizer Metering Fluted			
		Roller Type & Hitching Tractor		F0	40
		mounted with 3 Point Linkage		50	40
		Frame Strong and Robust Row			
		Space 24" Standard & Adjustable			
		Drive PTO Driven and Ground			
		wheel Sowing Depth Adjustable			
		(Depth Control Wheels are			
		provided) Furrow Openers			



INTEGRATED DEVELOPMENT PROJECT (IDP)



For

Source Sustainability And Climate Resilient Rain-fed Agriculture Una, Distt. Una, HP

No I	DP /UNA	Dated		
	<i>D1</i> , e30	Shovels for sowing in tilled / prepared fields.		
	Thursday	Output Capacity - 1001 - 2000		
21.	Thresher	kg/hr Power -10-20 HP Speed - Upto 500 RPM Body Material - MS Automation Grade - Semi- Automatic Crop Type - Multi Crop	50	40
С	Minor Agriculture to	ools (Mechanical)		
1.	Mini Rice Mill	Production Capacity - upto 100 kg/hr Motor power - 1-3 HP Power Consumption - 2.2 - 3 KW Electricity Connection - Single Phase Operation Mode - Automatic Material of Construction - MS Power - 2 Kwh Warranty - 1 to 6 months Voltage - 220 V Electricity Connection - Single Phase Weight - 84kg with motor Operating Speed - 2880 rpm Material -	60	50
2.	Mini Dal Mill	Polishing Capacity - 101-400 Kg/Hr Automation Grade - Manual Pulses Type - Masoor, Toor, Chana, All Kinds, Moong Production Capacity - 0-0.5 Ton/Hour Motor Type - Single phase Power - 1-3 HP	60	50



INTEGRATED DEVELOPMENT PROJECT (IDP)



For

Source Sustainability And Climate Resilient Rain-fed Agriculture
Una, Distt. Una, HP

$\mathcal{N}o.$	IDP/UNA	Dated		
3.	Oil Mill with filter press (for all types of horticulture/ food grain/oilseed crops)	Machine Type - Cold Press Capacity - 20 Kg/Hr Power - 3 HP Operation Type - Semi-Automatic Voltage - 220V Material - MS Power Source - Electric Surface Finish - Color Coated Phase - Three Phase Motor Power - 4 HP Frequency - 50 Hz Corrosion Resistance - Yes	60	50
4.	Extractor (for all types of horticulture/ food grain/oil seed crops)	Extractor Capacity-1000L Motor Rating-5 Phase-3 Phase Material-SS Automation Grade-Semi- Automatic Usage/Application-Industrial Contact Parts Material-Stainless steel Frame Material-SS Voltage Supply-410 Weight-150kg Dimension-100X100X150	60	50
5.	Pomegranate Aril Extractor	Pomegranate aril extractor Capacity - 40-60 Tons Application - Industrial Material - SS Minimum Order Quantity - 1 Piece	60	50



INTEGRATED DEVELOPMENT PROJECT (IDP)



For

Source Sustainability And Climate Resilient Rain-fed Agriculture
Una, Distt. Una, HP

No. I	DP /UNA	Dated				
6.	Dehydration unit/Pricking Machine/Humidifier (for all types of Horticulture/Food grain/oilseed crops)	Dehydration unitAutomation Grade - AutomaticCapacity - 450 KgPower Consumption - 3KWVoltage - 240VNo. of Tray- 6Max Temperature - 240 degree celciusPhase - Single PhasePricking machine Phase - Single PhaseVoltage - 230VFrequency - 50/60Workspace - 8 to 45 mmDimension L x W x H (mm) - 290 x 150 x 330Mass - 8 kgHumidifier Usage/Application - Industrial UseModel Type - MCS-UH-3.0Material -FRP		60	50	
7.	Packing Machines (for all types of horticulture/ food grain/oilseed crops)	Driven Type - Mechanical Machine Power - 1-2 HP Pouch Length - 2"-4" Frequency - 50 hz Voltage - 420 V Weight - 300 kg Filing Type - cup filler Size/Dimension - L-75 inchxH-85 inchxW-36 inch Material - Multi grain Seed		60	50	



INTEGRATED DEVELOPMENT PROJECT (IDP)



For

Source Sustainability And Climate Resilient Rain-fed Agriculture
Una, Distt. Una, HP

No. 1	DP/UNA	Dated.		
No. 1	All types of Boiler/Steamer / Drier (for all types of horticulture/ food grain/ oilseed crops)	Boiler Capacity - 100 ltr. Material - Stainless steel Automation Grade -Semi- Automatic Color - x Color Power - 200 V Weight - 80-90 kg. Voltage - 240 V Frequency - 50Hz Power Source - Electric Body Material - Stainless Steel Steamer Shape - Round Capacity - 15 L to 250 L With Lid Features - Quick Making Foods Finishing - Polished Automation Grade - Semi- Automatic Material - SS Drier Type - Batch Type Design - Electric Tray Type Capacity - 10 to 4000 kG Number of Trays - 1000 max	60	50
9.	All types of Washing Machines (for all types of horticulture/ food grain/ oilseed crops)	Loading Type - Front Loading Capacity - 50 Kg Water Consumption-65 L Voltage- AC 240 V Phase-Three Phase Frequency-60 Hz Inner & Outer Drum Body Material-304 Stainless Steel Inside Basket-30x48 inch Outside Basket-36x53 inch Inlet Water Valve-1.5 inch Outlet Water Valve-2 inch Machine Size-36x80x48 inch Machine Weight-550 Kg Extractor Motor Power-2 HP	60	50



INTEGRATED DEVELOPMENT PROJECT (IDP)



For

Source Sustainability And Climate Resilient Rain-fed Agriculture
Una, Distt. Una, HP

\mathcal{N}	To. IDP/UNA					
10	All types of Grinder/ Pulveriser/ Polisher (for all types of horticulture/ food grain/ oilseed crops	Capacity - 50 Kg/h Usage/Application - Commercial Voltage - 220 V Material- SS Automation Grade - Semi- Automatic Motor - 2 Year Frequency - 3 HP Speed - 50 Hz Phase - Single Phase/3 Phase	ed	60	50	
11	All types of Cleaner-cum- Grader/Gradient separator/specific gravity separator (for all types of horticulture/ food grain/oilseed crops)	Cleaner-cum-Grader Usage/Application - Cleaning Type Of Machines - Cleaning Machine Capacity - 50-150 Kg Per Hr Weight - 75 Kg Material - Mild steel		50	40	
12	All types of Power driven Dehusker/sheller/Thresh er/Harvester / De- spiking/ Deconing Machine/ Peeler/ Splitter / Stripper (for all types of horticulture / food grains/oilseed crops)	Operation Mode - AutomaticElectricity Connection - Three PhaseMotor Power - 3 HPMaterial of Construction - MSPower -3 KwhCapacity -100 - 1000 kgs / hrModel -Single discUsage/Application - Sunflower seed, millet, paddy, etcVoltage -400-440 VDriven Type -electric motorFrequency - 60 hzMachines Required - HuskerMaterial -Mild steel		60	50	
D	Other (Items supporting cli	mate smart technology)				
1.	Solar fencing	Composite Fencing integrated with G.I. Wire Mesh of 1.20 rn height and Solar Electric Fencing of 0.60m height for the perimeter length of 200 meters, Number of wire rows/strands 3 number, spacing between wire rows abve wire mesh (0.15+0.15+0.30), Pole to pole		70	70	



INTEGRATED DEVELOPMENT PROJECT (IDP)



For

Source Sustainability And Climate Resilient Rain-fed Agriculture Una, Distt. Una, HP

	I none non	and office				
No. I	DP /UNA	Dated	f			
		distance 5 meter, Total Pole height 9above + below Ground level (2.25 m) (1.80+.45)				
2.	Plastic Mulch Laying Machine	Output Capacity - 1001 - 2000 kg/hr Power -10-20 HP Speed - Upto 500 RPM Body Material - MS Automation Grade - Semi-Automatic Crop Type - Multi Crop		50	40	

APPLICATION FOR INDIVIDUAL BENEFICIARY FOR MATCHING GRANTS UNDER COMPONENT 2 OF THE PROJECT

INTEGRATED DEVELOPMENT PROJECT FOR SOURCE SUSTAINABILITY AND CLIMATE RESILIENT RAINFED AGRICULTURE (HPIDP)

District	Project Officer nal Pradesh					
	Subject: To avail assistance unde	r the Matching Grant Schem	e (MGS) of HPIDP.			
Sir/Mad	dam,					
the Ma	I W/o, D/o, S _i	for my field/farm at village				
practice	P.O, Tehsil, district, Himachal Pradesh. I have (bigha/ kanal) of agricultural land, and (bigha/ kanal) of fallow land. I practice livestock farming & have No of livestock with me. I shall follow the process and procedures contained in this Matching Grants Manual.					
	eel obliged if the assistance on the ite	ems mentioned below along v	with the total estimated cost/s			
Sr. No	Item for which assistance required	Area (in Bighas) (Only for drip irrigation system, sprinklers, Hose pipe, HDPE pipes & RRWHS-Individual)	Total cost of the item as per LIP			

I need technical assistance for the above-mentioned item/items: - Yes/ No

^{*} For items such as Drip irrigation system, sprinklers, Hose pipe, HDPE pipes & RRWHS-Individual (High efficiency irrigation equipment) the area (In Bigha) is applicable.

	1.	Social Ca	itegory (Ge	n/ SC/ ST/EW	c).				
	fa	vviietilei	WIGOW/W	omen Header	Household				
	٥.	Flione M	Ο.						
		Addital II	mined paint	A/CIMO					
	٥.	naur Mai	ne/ branch						
	ter a	11 30 000	C 19U.						
		raumaai	Caru NO.						
	~ 4	THE PROPERTY OF THE	V. / Janidua						
	9.	rang Holi	ding Size (I\	/larginal/Smal	I/Semi - mei	lium/Madius	m/Large)		
	10.			LIGHTING GE	VIV / 36311/ FF	albioid Harri	other specif	fic agricultur	e related
		ci ciii iii S	muer the it	or Project (Y/)	VI.				c relateu
	11.	vvnetner	a part of W	ater user grou	up (WIIG) for	rmad under I	IDP (Y/N)		
	12.	annemer	applicant h	ias received ai	av grant und	er the match	ing grant cal	-511010	р
		a ris all	muiviuudi (Y/IV)	b. In a	group (V/N)			
	- T	AALIECTIEL	applicant i	has received §	grant on sin	ilar asset/ v	vorks from a	nv other gov	/ernment
		scheme ir	the last 3	years (Y/N)				,	· cimicin
Dec	larati								
	1.	I certify th	nat the part	ticulars furnish	ned above b	/ me are true	e to the bost	of my lengue	
		believe th	at nothing I	nas been conc	ealed therei	n	to the pest	or my known	eage and
	2.	give an u	undertaking	to the effect	that the De	nartment			
		have the r	ight to insr	ect and audit	the meteri-	partment or	any other au	ithorized age	ncy shall
	(done and	all related r	ect and audit	the materia	l/s purchased	d/ quality of t	the material a	and work
	J. 1	in case of	msuunzati	on or non-util	ization of as	sistance in w	hole or part,	I undertake t	o refund
		ne amour	it of assista	ince granted t	o me in full	or in lump-su	ım, along wit	h interest the	ere on at
	t	ne prevail	ing bank ra	tes, as agreed	with the DP	O in such an e	eventuality.		
								Yours fai	thfully
					(Signatu	re)		10013181	инану,
					Name				
				Certificat	e from Gram	Panchayat			
	Ce	ertified	that	Sh./Smt.			111/-	D /	<i>c</i> /
			R/o	11	PO			D/o,	5/0
Distt		, Hir	machal Prac	desh is a perm	anent reside	nt of vill-	ren		
his	Gram	Panchay	at and hol	longs Istrika	anent reside	iit of village_		_, which falls	within
Head	ed Ho	nusehold a	and bor/bis	longs (<i>strike d</i>	ой пот арр	<i>licable</i>) to G	General/SC/ S	ST/ Widow/	Women
	- G 110	Juscilolu c	mu nei/ills	case is recomi	nended for a	obtaining assi	istance under	HPIDP.	
igna	ture	with officia	alstamn			C P. 12			
		.c Officia	a. acamp			Gram Pradha	n		
					Nama of Co-	no Deur I			
				,	varrie oj Gra	ın Panchayat			

Particulars of the beneficiary (enclose self-attested copies of documents enlisted at Sr. No. 1,4,5,6 & 7;

for Jamabandi, Sr. No. 8, enclose the copy attested by concerned revenue officer):

[For official use only] Screening Checklist for Eligibility

Eligibility Criteria		Yes/ No		
Ordinarily a resident of a GP included under the Project (male or fer	male)			
A practicing farmer				
At least 18 years of age				
Applicants should be able to produce evidence of land ownership, viz., <i>Tatima</i> , <i>Jamabandi</i> , <i>Nakal</i> , etc./Copy of lease agreement/ ownership of animals (Registration certificate)/any other certificate as per Government guidelines; such land should also be in possession of the applicant/s, and free of any ownership conflict/s.				
*In case of women applicants, land records of husband/ male head o provided (and the same may be verified from Panchayat Parivar register / r	ation card, by Pradhan)			
Aadhaar-linked bank account in a scheduled bank, held by the	beneficiary.			
Documentation is complete as per the documentation checklis	t.			
Application (No) along with project proposal/relevant documents for assis extent of INR is forwarded to DPO, (district name)action.				
Comments from APO				
		roject Officer		
	Block			
	District			
	Hima	chal Pradesh		

Recommendation of concerned DPO

Grant amount of INRhereby recommended in favor of	_ (in words <u></u>) only, is
individual), against Application No to the guidelines/instructions and norm	. The said individuals of the Matching Grants Sch	al has fulfilled eme under H	(name of the
Comments from DPO			
		District	District Project Officer Himachal Pradesh

APPLICATION FORM FOR GROUP BENEFICIARY

INTEGRATED DEVELOPMENT PROJECT FOR SOURCE SUSTAINABILITY AND CLIMATE RESILIENT RAINFED AGRICULTURE (HPIDP)

To,			
District P	Project Officer		
District			
Himacha	l Pradesh		
S	Subject: To avail assistance under the	Matching Grant Schem	e (MGS) of HPIDP.
Sir/Mada	am,		
V	VeGroup (Select	Type of Group: WI	JG/ PG/ FPO), Daté of
Formatio	on of Groupand number	of members in the gro	oup intend
to avail a	assistance under HPIDP project for our	farms/fields/Business	Plan at village
P.(OTehsil	Distt	Himachal
Pradesh.	. We possess total agricultural land of-	(big	ha/ kanal)
We we deposite O&M. In into the GP	of WUG/ PG that is WUG also will bear percent of the total cost from the din our group account an upfront should be a din our group account an upfront should be account accou	are of 5% of the total or equivalent to 1% of the operated by o	cost of the assets towards total cost of asset/ works our GP (<i>name of</i>
Sr. No	Item for which assistance required	Area (in Bighas) (Only for drip irrigation system, sprinklers, hose pipes & HDPE pipes)	Total cost of the item as per LIP

We need technical assistance for the above-mentioned item/items: Yes/ No

^{*} For items such as Drip irrigation system, sprinklers, hose pipes & HDPE pipes (High efficiency irrigation equipment) the area (In Bigha) is applicable.

If "Yes"	, specify what kind of technical assistance is required and why?
Office-	-bearers of the Group
Sr.	Name Gender (M/F) Contact Number Designation
No.	
1.	
2.	
3.	
4.	
5.	
1.	copy of resolution & Business plan): Bank Details
a.	S. A. S. A. S. A.
	Aadhar linked Bank Account Number
	Bank Name and Branch
	IFSC Code
2.	· · · · · · · · · · · · · · · · · · ·
3.	Line of burgly mambars Vas / Na
4.	Female Members / Total Members
5.	Inclusion of Vulnerable HH in group (SC, ST, EWS, BPL): a) < 50 % Vulnerable H
	members, b) 50 - 70 % Vulnerable HH members, c) > 70 % Vulnerable H
	members
6.	
a.	
b	
С.	
7	Unfront contribution (PG/WUG in INR)

8. Number of members contributed upfront (PG/WUG)	
9. Implementation time span of activity: a) > 1yr, b) 6m - 12 m, c) < (6m
10. Business plan (Y/N):	
A detailed business plan with relevant information pertaining to how, where and wh	nen
the funds would be utilized, a detailed cost estimate, including the groups o	wn
contribution, expected benefits, mechanism for benefit-sharing, alignment with proj	ect
objectives and values, and O & M plan.	
Declaration	
 We certify that the particulars furnished above by us are true to the best of our knowledge and believe that nothing has been concealed therein. 	
2. We give an undertaking to the effect that the Department or any other authorized	
agency shall have the right to inspect and/or audit the material/s purchased/ quality	of
the material and work done and all related records.	
3. In case of miss-utilization or non-utilization of assistance in whole or part, we underta	ake
to refund the amount of assistance granted to us in full or in lump-sum, along with th	е
interest at the prevailing bank rates thereon, as agreed with the DPO in such an	
eventuality.	
Yours faithful	ully,
President (signature & na	
Name of Group	
Company Company	
Certificate from Gram Panchayat	
Certified that the members of group of Village	
permanent residents of this village and their application is in accordance with the approved	
GPRMP. Thus, the case is recommended for obtaining assistance under the project.	
Signature with official stamp	
Gram Pradhan	
Name of Gram Panchavat	

	[For official use only]	
Application (No.) along with project proposal/re	elevant documents for
assistance to the extent of INR	is forwarded to DPC	O, (district name)
, for further action		
Comments from APO		
	Assistant Project Officer	
	Block	
	District	
•		Himachal Pradesh
Grant amount of INR	y, is hereby recommende (name of the WUG/PG), against Aperia according to the guidelines/instru	pplication No.
Comments from DPO		
		District Project Officer District
		Himachal Pradesh